Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.61

Peonies



COTTAGE GARDENS CO.
INCORPORATED
NURSERIES
QUEENS, LONG ISLAND, N. Y.

HOW TO REACH OUR NURSERIES

UR Nurseries are situated at Queens, Long Island, about twelve miles from the centre of New York City and three miles east of Jamaica. They are easily reached by automobile via the Queensboro Bridge, Queens Boulevard and Hillside Avenue. They can also be reached by train from Pennsylvania Station. Visitors coming by train will be met at Queens Station if they will notify us of the time of their intended arrival.

TERMS

All prices net. Positively no discounts.

Herbaceous Peonies



ITHIN the past ten years this magnificent section of hardy herbaceous flowering plants has been brought into very prominent notice because of the general improvement in varieties and comparatively recent origin. In these newer sorts the flowers have attained immense proportions, reaching in some instances the large size of seven to nine inches in diameter and five

seven to nine inches in diameter and five to six inches in depth. The range of color is also so varied that almost every tint of pink, white, red, crimson and even yellow is comprised in the list. The vigor and habits of the plants have been so improved that stems two and one-half to four feet in length, and sufficiently strong to properly support the immense blooms, are now grown. There is an element of practical, permanent value in the Peony; that is, the plants, once purchased and planted in suitable soil, continue to increase in size and profusion of bloom, and pay a generous annual dividend in the way of an enormous crop of magnificent, deliciously fragrant blooms that are unsurpassed for decorating purposes. During the past seasons the popular use of Peonies for decorative purposes is amply evidenced by the greatly increasing sale of the cut blooms in the large cities, where thousands of splendid flowers found ready market at handsome prices. This increased demand may be accounted for by the introduction of more recent varieties, which are wonderful improvements over the older sorts. The popular interest in the Peony has received an additional impetus from the organization of the American Peony Society, which comprises within its membership the majority of the largest commercial Peony growers, as well as many amateurs.

Our stock, consisting of 100,000 plants and upward, comprising approximately, 400 varieties, has been selected with the greatest care and contains all the choicest and most desirable sorts of either recent or earlier introduction. All of the descriptions in this Catalogue are abbreviated from the detailed descriptions in the official bulletins of the American Peony Society.

Preparation of Soil for Peonies, and Culture

The Peony is a gross feeder and the richest soil is none too good. They furnish the strongest stems and the largest and most desirable flowers when planted in situations where the soil retains a moderate degree of dampness, and they are particularly adapted to planting in the vicinity of ponds or along the borders of streams where capillary attraction will furnish the roots with a steady supply of moisture. They should, however, be planted sufficiently far away from the border of streams or ponds to avoid flooding, or water standing upon the plants, and the soil should be so drained as to avoid any tendency of a swampy nature.

Where the finest flowers are desired, the soil for the Peony bed should be prepared as follows: An excavation the full size of the bed should be made two or three feet in depth, according to the character of the subsoil. If the subsoil is of a loamy nature, and of such texture as will retain moisture nicely, and admit of the growth of an abundant root system, the bed may be excavated to the depth of two feet, and a layer of six inches in thickness of thoroughly well-rotted cow manure should be spread on the bottom, and well spaded in. If the soil taken out is of a stiff, clayey nature it should

be lightened by the addition of sand, leaf mold and thoroughly well-rotted manure, using in bulk one-third of the sand, leaf mold, and manure to two-thirds soil. This should be turned over two or three times, so that all of the ingredients will become evenly mixed and incorporated throughout the mass. Then fill up the excavation with this prepared soil, rounding it up at the center, which should stand about eight inches above the level of the lawn. In setting the plants, abundant room to allow them to develop into large clumps must be given. Each plant should be afforded a space equaling a circle three feet in diameter for its development. In setting the plants, space the crowns two and one-half to three inches below the surface of the soil, and firm the earth well around the roots. After the bed is planted it should be mulched with three or four inches of coarse, strawy manure, or that which contains a large proportion of forest leaves. In case the soil at the bottom of the bed is of a very light, sandy nature, or a dense, stiff, clay, or coarse, rocky gravel, the excavation should be continued to three feet, and this poor soil discarded and the entire bed filled with the prepared compost.

Time for Planting Peonies

The best time for planting the Peony is as early after the middle of August as the buds become ripened, and all planting should be finished not later than the 1st of November, although they may be safely planted as late as the soil can be cultivated in the Fall; but the late planted sorts will lose a year in reaching full normal development, and may as well be heeled in, in a cold frame, protected from the severe frosts, and planted the following Spring as early as the soil can be properly worked. Peonies may be as successfully planted in the Spring as in the Fall, but, as before stated, will take an additional year to develop into normal plants.

After Cultivation

There is no plant which will thrive, increasing in strength and beauty every year, with as little attention as the Peony. The third year after planting the ground will be entirely occupied and densely shaded by the foliage, so that comparatively few weeds will grow, and these may be easily removed. Each Fall, after the ground has become frozen, the tops of the Peonies should be cut off about three inches above the soil, and may be thrown back upon the bed to serve as mulching during the Winter time. This should be augmented by a liberal dressing of coarse manure. In the Spring this mulching should be taken up and the coarse parts removed from the bed, and the remaining fine stuff spaded into the soil to the depth of five or six inches, and the surface stirred around the crowns of the plants, care being taken not to break, mar or disturb the dormant crown buds.

During the seasons of extreme drought in April or May, the growth of the Peony plants may be much improved and the crop of flowers largely augmented in quality and size by drenching the beds thoroughly with water once or twice a week. The hose can be turned onto the bed and allowed to run until the soil is saturated to the depth of twelve or four-teen inches.

Peonies

1 contes	2-yr. ea:	3-yr.
1—Achille (Calot, 1855). Shell pink, fading to lilac white. Early		\$2.00
2-Adolphe Rousseau (Dessert & Mechin 1890)		\$2.00
Purplish garnet. Early	3.00	5.00
3—Admiral Togo (Hollis, 1907). Very dark crimson carmine. Midseason	3.00	5.00
4—Akalu (Japan). See page 13		
center slightly flecked red. Midseason	1.00	2.00
6—Albert Crousse (Crousse, 1893). Very fresh salmon pink. Late	2.50	5.00
8—Alexander Dumas (Guerin, 1862). Rose, interspersed with salmon chamois. Early		
midseason	1.00	2.00 2.00
10—Alfred de Musset (Crousse, 1885). Milky white, blush center and crimson flecks. Late	1.00	2.00
Late	1.00	2.00
11—Alice de Julvecourt (Pele, 1857). Lilac white, finely flecked crimson. Early midseason	1.00	2.00
12—Alsace Lorraine (Lemoine, 1906). Cream white deepening to pale yellow. Late	5.00	7.50
14—Armand Rousseau (Dessert & Mechin, 1903). Dark pink with silvery reflex. Midseason	1.00	2.00
15—Armandine Mechin (Mechin, 1880). Violet crimson. Midseason	1.50	3.00
16—Asa Gray (Crousse, 1886). Pale lilac sprinkled with dots of deeper lilac. Midseason	2.50	5.00
17—Atrosanguinea (Calot, 1850). Dark rosy magenta. Midseason	1.00	2.00
18—Attraction (Hollis, 1906). See page 13		
19—Auguste Gauthier (Dessert & Mechin, 1890). Dark tyrian rose tipped silver. Midseason. 20—Auguste Lemonier (Calot, 1865). Uniform	1.00	2.00
reddish violet. Midseason	1.50	3.00
21—Auguste Villaume (Crousse, 1895). Dark violet rose. Very late	1.00	2.00
22—Augustin d'Hour (Calot, 1867). Dark, brilliant solferino red, silvery reflex. Mid-		
season	1.50	3.00
23—Aurore (Dessert, 1904). Lilac white, slightly flecked with crimson. Late	1.50	3.00
24—Avalanche (Crousse, 1886). Creamy white, slightly flecked with carmine. Midseason	1.50	3.00
25—Alice Crousse (Calot, 1872). Light violet rose, slightly tinted light pink and salmon. Midseason	2.50	5.00
26—Andre Lauries (Crousse, 1881). Deep tyrian purple, slightly tinted white. Very late	1.00	2.00
27—Arthemise (Calot, 1861). Violet rose, slightly tinted salmon. Midseason	1.00	2.00
30—Battlefield (Hollis). Pure mauve. Midseason.		7.50

	2-yr. ea.	3-уг. ea.
31—Baroness Schroeder (Kelway). Flesh white fading to milk white. Midseason	£1.50	\$3.00
32—Beaute de Villecante (Gombault, 1856). Light pink with a lilac-white collar. Midseason	p1.50	φ3.00
to late	1.50	3.00
33-Beaute Française (Guerin, 1850). Pale pink		
and cream white with heavy carmine flecks in the center. Midseason	1.00	2.00
35—Belle Chatelaine (Guerin, 1861). Mauve rose with amber-white center. Midseason	1.00	2.00
36—Belle Douaisienne (Calot, 1861). Hydrangea pink, center prominently flecked crimson.	1.00	2.00
Midseason	1.00	2.00
37—Beranger (Dessert, 1895). Clear violet rose. Very late	1.00	2.00
39—Berthe d'Hour (Calot, 1869). Tender pink with silvery shades. Midseason	1.50	3.00
41— Blanche Dessert (Dessert, 1888). Solferino red. Early	2.00	3.00
42— Boule Blanche (Crousse, 1892). Pure white.	2.00	3.00
43—Boule de Neige (Calot, 1862). Milk white	2.00	3.00
flecked with crimson. Early midseason	1.00	2.00
44— Buyckii (Guerin, 1840). Deep pink collar, center salmon and creamy white. Mid-		
season	1.00	2.00
49Canari (Guerin, 1861). White guards tinted		
pale pink, center amber-white changing to white. Late	1.00	2.00
50—Cameron (Crousse, 1879). Deep carmine red.		
50—Cameron (Crousse, 1879). Deep carmine red. Late	1.50	3.00
51—Camille (Dessert, 1909). See page 13 52—Carmen (Lemoine, 1898). Very light pink		
center flecked wtih crimson. Midseason	2.00	4.00
53—Carnot (Dessert, 1913). See page 13 54—Carnea elegans (Calot, 1860). Lilac white		
with amber-white center, flecked with crim-		
son. Midseason	1.50	3.00
55—Carnea elegans (Guerin, 1850). Hydrangea pink, clearer center with some carmine.		
Midseason	1.00	2.00
56—Cerisette. Violet rose. Early to midseason	2.00	3.00
57—Carnea triumphans (Guerin, 1852). Pale pink	1.00	2.00
with amber-white collar. Midseason	1.00	2.00
 58—Ceres (Verdier, 1860). Pale lilac rose, center minutely flecked scarlet. Very early 59—Charlemagne (Crousse, 1880). Lilac white 	5.00	7.50
59—Charlemagne (Crousse, 1880). Lilac white	1.00	2.00
with slight blush center. Late	1.00	2.00
60—Charlotte Cushman (Hollis). Solferino red. Late	2.00	4.00
61—Claude Gelle (Lemoine). Cream white. Late.	5.00	7.50
62Claire Dubois (Crousse, 1886). Even, clear, deep violet rose, tipped white. Late		
deep violet rose, tipped white. Late	1.50	3.00
63—Claude Lorrain (Crousse, 1884). Soft, fleshy pink shaded chamois. Midseason	1.00	2.00
64-Clairette (Dessert). See page 13	1.00	2.00
65—Clementine Gillot (Crousse, 1885). Uniform		
light tyrian rose. Late	1.50	3.00

	-yr. :	3-yr. ea.
66Clara Barton (Terry). Milk white. Very early	31.50	3. 00
68—Comte de Paris (Guerin, 1842). Light pink, amber-white center flecked with crimson. Midseason	1.00	2.00
69—Comtesse O'Gorman (Crousse, 1895). Dark pink with cream reflex in the collar. Mid- season	3.00	5. 00
70—Constant Devred (Calot, 1868). Dark red carmine. Very late	1.50	3.00
71—Couronne d'Or (Calot, 1873). Pure white, tipped with carmine. Late	1.00	2.00
72—Curiosity (Dessert & Mechin, 1886). Violet red with narrow center petals tipped yellow. Midseason	1.00	2.00
73—Charles Binder (Guerin, 1860). Bright, deep pink shaded with purple. Late	1.00	2.00
80—Daubenton (Crousse, 1880). Violet rose, tipped silver. Midseason	1.00	2.00
81—De Candolle (Crousse, 1880). Uniform bright lilac purple. Late midseason	1.00	2.00
82—Delachei (Delache, 1856). Violet crimson. Midseason to late	1.00	2.00
84—Denis Helye (Verdier, 1860). Dark crimson rose. Midseason	1.00	2.00
85—Descartes (Dessert & Mechin, 1885). Aniline red, center lighter. Midseason	1.00	2.00
86—Directeur Aubry (Crousse, 1879). Clear amaranth. Late midseason	1.00	2.00
87—Distinction (Dessert, 1895). Clear violet red. Midseason	1.00	2.00
88—Docteur Bretonneau (Guerin, 1850). Pale lilac and milk white. Midseason	1.00	2.00
89—Docteur Bretonneau (Verdier, 1854). Pale lilac rose with some crimson flecks. Early midseason	1.00	2.00
90—Docteur Caillot (Verdier, 1855). Brilliant tyrian rose. Midseason	1.00	2.00
93—Duc de Wellington (Calot, 1859). Pure white, sulphur center. Midseason	1.00	2.00
94—Duke of Clarence (Kelway, 1886). Violet- rose collar, cream-white center flecked with crimson. Midseason	2.50	5.00
95—Duke of Devonshire (Kelway, 1896). Solferino red. Late	1.00	2.00
96—Duchesse de Nemours (Calot, 1856). Pure white. Early	1.00	2.00
97—Deborah Sayres (Shaylor). See page 13 99—Duchess of Sutherland (Kelway). Lilac rose.		
Late	5.00	7.50
100—Delicatissima. Very pale lilac rose. Mid- season	1.00	2.00
101—Dorchester (Richardson, 1870). Pale pink. Late midseason	1.50	3.00

	2	-yr.	3-yr.
107	-Edmond About (Crousse, 1885). Pale shell	ea.	ea.
107—	pink, deepening at center, flecked crimson.		
	Late midseason	\$5.00	\$7.50
108-	Edmond Lebon (Calot, 1864). Bright violet		· ·
	rose. Midseason	2.00	4.00
109—	Edouard Andre (Mechin, 1874). Dark car-		
	mine violet. Midseason	1.00	2.00
110	-Edulis superba (Lemon, 1824). Dark pink,	1.00	2.00
112	even color. Early	1.00	2.00 3.00
	Elwood Pleas (Pleas). Very soft shell pink. Elie Chevalier (Dessert, 1908). Uniform	2.00	3.00
113-	tyrian rose, center flecked scarlet. Mid-		
	season	3.00	5.00
114—	-Etta (Terry). Even pale pink. Very late	1.50	3.00
115	-Enchantment (Hollis, 1907). Uniform pale		
	lilac rose. Midseason	5.00	7.50
116—	-Emperor Nicolas (Crousse, 1897). Dark car-		200
	mine red. Midseason	1.00	2.00
117—	-Enfant de Nancy (Crousse, 1896). Pale lilac rose fading to almost white. Late	1.00	2.00
110	Etendard du Grand Homme (Miellez, 1855).	1.00	2.00
110-	Violet amaranth. Late	2.00	4.00
119_	-Edwin Forrest (Hollis). Dark crimson. Mid-		-
,	season	1.50	3.00
120-	-Etienne Mechin (Mechin, 1880). Bright cer-		
	ise. Midseason	1.00	2.00
121-	-Eugene Bigot (Dessert, 1894). Brilliant red.	· • 00	7.50
1.22	Midseason	5.00	-7.50
122—	-Eucharis (Lemoine). Flesh white with cream-white center. Midseason	5.00	7.50
123_	-Eugene Verdier (Calot, 1864). Very light	0.00	7.00
120	pink with lilac-white collar. Late	1.50	3.00
124—	-Eugenie Verdier (Calot, 1864). Pale pink,		
	center deeper, flecked crimson. Midseason.	1.50	3. 00
125—	-Eugene Reignoux (Dessert). Very brilliant	. 00	7.50
	carmine pink. Early	5.00	7.50
126—	-Estafette (Dessert, 1910). Clear velvety purple with silvery border. Very early	5.00	7.50
127.	Fnchantresse (Lemoine) Cream white with	3.00	7.50
12/-	-Enchantresse (Lemoine). Cream white with some crimson flecks. Very late	5.00	7.50
132—	Felix Crousse (Crousse, 1881). Very brilliant		
	red. Midseason	2.50	5.00
133	-Festiva (Donkalaer, 1838). Pure paper white	1.00	2.00
	with crimson markings in center. Late	1.00	2.00
134—	-Festiva Maxima (Miellez, 1851). Paper white with crimson markings in center.		
	Early	1.00	2.00
135-	-Flambeau (Crousse, 1897). Violet rose, silver		
	tipped. Late	1.50	3. 00
138-	-Francois Rousseau (Dessert, 1909). Very	= 00	= =0
	brilliant red. Very early	5.00	7.50
140—	-Fulgida (Parmentier, 1850). Purple shaded violet with silvery reflex. Midseason to		
	late	1.00	2.00
145—	-Galathee (Lemoine, 1900). Flesh white, rose		
0	center. Very late	5.00	7.50

	2-yr. ea.	3-yr. ea.
146—General Bertrand (Guerin, 1845). Dark pink silvery center. Early	, \$1.00	\$2.00
151—George Washington (Guerin, 1850). Light	t	φ2.00
tyrian rose tinted cream at base, center violet rose. Midseason	. 2.00	4.00
152—Germaine Bigot (Dessert, 1902). Pale lilac rose, center flecked crimson. Midseason.	. 1.50	3.00
154—Gismonda (Crousse, 1895). Very fresh pink	3.00	5.00
155—Gloire de Charles Gombault (Gombault 1866). Light rose collar and crown, crean center. Midseason	1	5.00
156— Gloire de Chenonceaux (Mechin, 1880). Solferino red, silver tipped with age. Late	- e	3.00
midseason		3.00
son, black reflex. Midseason	. 1.00	2.00
red, shaded with purple. Very late	. 2.00	4.00
159—Glory of Somerset (Kelway). Violet rose clearer center mixed with cream white		2.00
Midseason	e	2.00
lilac rose, cream white center, pink crown	. 1.00	2.00
161—Grandiflora carnea plena (Lemon, 1824) Lilac white. Very early	. 1.00	2.00
162—Grandiflora nivea plena (Lemon, 1824) Pure white with crimson dots in center Early		2.00
163—Grandiflora rosea (Guerin, 1850). Light sol ferino red collar, center lighter shaded		
salmon. Midseason	. 1.00	2.00
center. Late	. 1.50	3.00
166— Gypsie (Hollis, 1904). See page 13		
silvery reflex. Midseason	. 1.00	2.00
174—Henry Murger (Crousse, 1895). Uniform pure mauve. Late	. 1.50	3.00
175—Hesperus (Thurlow). Se page 13		2.00
176—Humei (1810). Cherry pink. Very late 177—Humei carnea (Guerin, 1856). Clear cherry		2.00
pink. Very late	. 1.00	2.00
178— Ho Gioku. See page 13		
collar, light peach-blossom center. Mid	_	2.00
184—Irma (Calot, 1859). Violet rose with somyellow petals in the center. Late	e	2.00
189—James Blanc (Crousse, 1883). Bright cerise		2.00
Midseason 190— James Kelway (Kelway). Rosy white chang	-	
ing to milk white. Early midseason 191—Jenny Lind. Uniform pale pink. Midseason		3.00 2.00
192—Jeanne d'Arc (Calot, 1858). Pale lilac rose		2.00
cream-white center pink crown Farly		2.00

	2-yr. ea.	3-yr. ea.
193—J. B. Rendatler (Calot, 1866). Clear cherry pink, white reflex. Late midseason	\$1.00	\$2.00
195—John Hancock (Hollis, 1907). Dark crimson.	2.00	2.00
Midseason		3.00 5.00
201—Karafune (Japan). See page 14	2.50	3.00
202—Kumagoe (Japan). See page 14		
203—Kinokimo. See page 14		
204—Kameno Kerogama. See page 14		
205—La Fraicheur (Dessert). See page 14		
206—La Coquette (Guerin, 1861). Light pink		
crown and collar, center very white with		
carmine flecks. Midseason	1.00	2.00
208-Lady Beresford (Kelway). Bright pink. Mid-		
season	1.50	3.00
209—La Fiancee (Lemoine, 1898). Pure white, center flecked with crimson. Midseason	1.50	2.00
	1.50	3.00
210—Lafayette (Dessert, 1904). Dark carmine purple, silver tipped. Midseason	5.00	7.50
213—Lamartine (Calot, 1860). Pale lilac rose,	3.00	7.30
darker center. Early	1.50	3.00
214—La Perle (Crousse, 1885). Very light pink,	1.00	0.00
blush center, flecked carmine. Midseason	2.50	5.00
215—La Roziere (Crousse, 1888). Pure white shad-		
ing to cream in center. Midseason	1.50	3.00
216-La Tendresse (Crousse, 1896). Milk white,		
slightly splashed crimson. Early	1.50	3.00
217—La Tulipe (Calot, 1872). Lilac white, outer petals striped crimson. Late midseason.	1.00	2.00
	1.00	2.00
219— L'Eclatante (Calot, 1860). Brilliant red. Midseason	2.00	4.00
220—L'Etincelante (Dessert). See page 14	2.00	7.00
222—Livingstone (Crousse, 1879). Pale lilac rose,		
silver tipped, some carmine spots. Later	1.00	2.00
223—Louis Van Houttei (Delache, 1854). Dark		
crimson. Late	1.00	2.00
224-Louise Renault (Crousse, 1881). Dark red		
with mauve shades. Very late	1.00	2.00
225—Lurano (Pleas). Light pink. Midseason	1.00	2.00
226—Lucienne (Dessert, 1909). See page 14		
227—Lutea plenissima (Buyck, 1842). Cream white		
collar with sulphur white center. Early	1.00	2.00
midseason	1.00	2.00
228—L'Indispensable. Lilac white fading to violet rose toward center	1.50	3.00
229—Le Jour (Shaylor). See page 14	1.50	0.00
230—L'Innocence (Shaylor). See page 14		
233—Mme. Auguste Dessert (Dessert, 1899). Uni-		
form violet rose slightly flecked crimson.		
Early midseason	3.00	5.00
235—Mme. Barillet Deschamps (Calot, 1868).	;	
Clear violet rose fading to a delicate silver	1.00	2.00
pink. Midseason	T.UU	2.00.

2-y	. ea.
236-Mme. Benard (Verdier, 1855). Uniform pale lilac rose flecked crimson. Midseason\$1.	00 \$2.00
with silvery reflex. Late midseason 1.	00 2.00
239—Mme. Boulanger (Crousse, 1886). Glossy soft pink shaded lilac with silvery flesh border. Late midseason 5.	00 7.50
240—Mme. Breon (Guerin, 1850). White with shell	00 2.00
241—Mme. Bucquet (Dessert, 1888). Uniform very	50 3.00
242—Mme. Calot (Miellez, 1856). Very pale pink center, shaded darker, silver tint. Early 1.	00 2.00
243—Mme. Camille Bancel (Crousse, 1897). Uniform deep pink with silver shades. Late 1.	00 2.00
244—Mme. Chaumy (Calot, 1864). Pale lilac rose, center slightly darker. Midseason 1.	00 2.00
245—Mme. Coste (Calot, 1873). Pale hydrangea pink with cream white collar flecked with crimson. Early 1.	00 2.00
246—Mme. Crousse (Calot, 1866). Pure white with	00 2.00
247—Mme. de Galhau (Crousse, 1883). Pale lilac	50 3.00
248—Mme. de Govin (Crousse, 1875). Very pale	00 2.00
250—Mme. de Vatry (Guerin, 1863). Milk white, lilac white collar, center splashed with crimson. Midseason 1.	00 2.00
251—Mme. de Verneville (Crousse, 1885). Pure white, center tipped with carmine. Early. 1.	: 00 2. 00
252—Mme. d'Hour (Calot, 1864). Light pink, silver tipped, center shaded darker. Midseason	50 3.00
253-Mme. Ducel (Mechin, 1880). Light rose with	00 2.00
254—Mme. Emile Galle (Crousse, 1881). Very soft pink changing to milk white in center.	
Late	50 3.00
	50 3.00
256—Mme. Forel (Crousse, 1881). Violet rose; silver-tipped center. Late	00 2.00
259—Mme. Hutin (Crousse, 1892). Very bright	00 2.00
260—Mme. Jules Calot (Calot, 1869). Lilac white with some carmine flecks in center. Midseason	00. 5.00
261—Mme. Jules Dessert (Dessert, 1909). White shaded with pink and straw yellow. Midseason	
262—Mme. Lebon (Calot, 1855). Showy cherry	00 2.00
263—Mme. Lemoine (Calot, 1864). Light violet	00 7.50

	2-yr.	3-yr.
264—Mme. Lemoiner (Calot, 1865). Pale lilac	ea.	ea.
264—Mme. Lemoiner (Calot, 1865). Pale lilac rose fading to lilac white, collar splashed		
with crimson. Midseason to late	\$1.00	\$2.00
265—Mme. Loise Mere (Calot, 1863). Flesh white with carmine spots at center. Midseason	1.00	2.00
266—Mme. Mechin (Mechin, 1880). Deep purple	1.00	2.00
garnet. Midseason	1.50	3.00
267-Mme. Manchet (Dessert, 1913). Silvery white		
shaded with purplish pink at base of petals.		
Very late		7.50
268—Mme. Moreau (Crousse, 1881). Violet rose	1.50	2.00
with darker center. Early		3.00
pink tipped silver. Late	1.00	2.00
270—Mme. Reignoux (Dessert, 1909). Dark pink		
with silver border. Very early	3.00	5.00
271—Mme. Moutot (Crousse, 1892). Cerise pink		
streaked white. Midseason	1.00	2.00
274—Madeleine Gauthier (Dessert, 1909). See		
page 14		
276—Mlle. Leonie Calot (Calot, 1861). Very delicate shell pink, center darker. Late mid-		
season	1.00	2.00
277-Mlle. Renee Dessert (Mechin, 1880). Uni-	4 00	2.00
form pure mauve, silver tipped. Midseason.		2.00
278—Mlle. Rosa Rendatler (Calot, 1867). Light pink with cream center lightly flecked.		
Midseason	1.00	2.00
279-Mlle. Rousseau (Crousse, 1886). Milk white		
splashed carmine. Late	3. 00	5.00
282—Marcelle Dessert (Dessert, 1899). Milk white		7.50
splashed with lilac and crimson. Midseason. 283—Marc Maunoir. Very dark crimson. Mid-		7.50
season	1.00	2.00
284—Marechal Vaillant (Calot, 1867). Very dark		
aniline red. Very late	2.50	5.00
285—Marguerite Gerard (Crousse, 1892). Very		
pale salmon pink fading to almost white. Late	1.00	2.00
289—Marie Deroux (Crousse, 1881). Lilac white	1.00	00
with light collar. Late	1.00	2.00
290—Marie d'Hour (Calot, 1883). Pale pink, darker center, flecked carmine. Midseason		
center, flecked carmine. Midseason	1.00	2.00
291—Marie Jacquin (Verdier). See page 14		
292—Marie Lemoine (Calot, 1869). Pure white with cream white center. Very late	1.00	2.00
297—Marquis C. Lagergreen (Dessert, 1911). Bril-	1.00	2.00
liant cerise. Early midseason	3.00	5.00
299—Mistral (Dessert). See page 14		
300Mireille (Crousse, 1894). Milk white. Late.	1.50	3.00
301-Modele de Perfection (Crousse, 1875). Light	2.50	F 00
pink, silver tipped, darker center. Late	2.50	5.00
302—Modeste Guerin (Guerin, 1845). Uniform light solferino red. Midseason	1.00	2.00
305—Mikado (Japan). See page 14		

		2-yr. ea.	3-yr. ea.
307-	-Mrs. C. W. Ward. See page 14		
309—	-Mons. Bastien Lepage (Crousse, 1885). Uni form pure mauve, silvery reflex. Midsea	-	
	son	.\$2.50	\$5.00
	-Mons. Boucharlataine (Calot, 1868). Ligh pink with silvery reflex. Midseason	. 1.00	2.00
311—	-Mons. Dupont (Calot, 1872). Milk white center splashed with crimson. Late mid season	; - . 1.00	2.00
312—	-Mons. Gilbrain (Crousse, 1875). Amarantl	1	
212	red shaded with lilac. Late		2.00
	-Mons. Jules Elie (Crousse, 1888). Pale lilar rose with silvery reflex. Early	. 1.50	3.00
	-Mons. Krelage (Crousse, 1883). Solfering red, silver tips. Late	. 3.00	5.00
315—	-Mons. Martin Cahuzac (Dessert, 1899). Ver		
	dark purple garnet with black reflex. Early midseason	. 5.00	7.5 0
	-Mons. Galland (Crousse, 1875). Red shaded violet. Midseason	. 3.00	5.00
319-	-Mons. Chevreul (Dessert, 1893). Lilac pink Midseason	. 1.00	2.00
321-	-Mont Blanc (Lemoine, 1899). Milk white	·,	
	center slightly tinted rose. Early midsea	. 5.00	7.50
322-	-Nobilissima (Miellez, 1858). Uniform dee		
	violet rose. Late midseason		2.00
	-Noemie Demay (Calot, 1867). Dark pink fad ing lighter with age. Late midseason	. 1.00	2.00
324—	-Nymphe (Dessert). See page 14	•	
	-Octave Demay (Calot, 1867). Very pale pink collar almost white. Early	. 1.50	3.00
	-Othello (Dessert, 1910). See page 14		
	 Odette (Dessert, 1908). Very tender lila- with some yellow in center. Midseason 	. 3.00	5.00
334	-Paul Verdier (Calot, 1869). Uniform carmin	e	
335_	rose. Midseason		2.00
000	cream with bright pink collar and crown		
	Midseason		5.00
336-	-Petite Renee (Dessert, 1899). Dark pink	τ.	2.00
	Midseason		2.00
	-Perle Rose (Dessert). See page 14		
	-Perle Blanche (Dessert). See page 14		
339_	-Perfection (Richardson, 1869). Very pal		
	shell pink, base of petals shaded deeper	1.50	3.00
240	very late		3.00
	Dark purplish crimson. Early	. 2.50	5.00
341—	-Pierre Reignoux (Dessert, 1908). Uniform	1.00	2.00
242	light tyrian rose. Early		2.00
	-Pierre Duchartre (Crousse, 1895). Tende flesh white. Very late	. 1.50	3.00
343-	-Pomponette (Dessert, 1909). Bright pin	k . 5.00	7.50

		2-yr. ea.	3-yr. ea.
344	-Prince Imperial (Calot, 1859). Amaranthred. Late midseason	1 .\$1.00	\$2:00
345	-Princess Ellen (Terry). Uniform pale lilac pink. Late	:	3.00
346—	 Princess of Wales (Kelway). Pale lilac rose guards flecked crimson, clear center. Late. 		2.00
348	-Princesse Mathilde (Dessert, 1909). See page 14		
	-Primevere (Lemoine, 1907). Sulphur white with yellowish center. Midseason	10.00	15.00
	- Pulcherrima (Guerin, 1842). Pink with crear reflex flecked crimson. Midseason	. 1.00	2.00
	- Purpurea superba (Delache, 1855). Uniforn dark purple. Midseason	1.50	3.00
	- Raphael (Mechin, 1882). Dark purplish garnet. Early	1.50	3.00
	-Rene Potard (Bichet, 1882). Dark solfering red. Midseason	. 1.50	3.00
367—	-Rose d'Amour (Calot, 1857). Delicate flesh pink		2.00
	- Rubra superba (Richardson, 1871). Deel carmine crimson. Very late	. 1.00	2.00
	- Rubra triumphans (Guerin, 1840). Very dark crimson. Early	. 2.50	5.00
	-Sappho (Lemoine, 1900). Pure mauve with silvery reflex. Midseason	. 1.00	2.00
	-Simone Chevalier (Dessert, 1902). Pale lilac rose with cream white collar. Early	. 1.00	2.00
	-Seiriu Somae (Japan). Large milk white collar with sulphur white center	5.00	7.5 0
	Souvenir de Belleville (Calot, 1861). Very soft delicate pink. Midseason	. 1.50	3.00
	-Souvenir de Gaspard Calot (Calot, 1865) Uniform pale lilac rose. Very late	. 1.00	2.00
	-Souvenir du Docteur Bretonneau (Dessert 1896). Dark tyrian rose. Midseason	1.00	2.00
	-Souvenir de l'Exposition du Mans (Mechin 1880). Reddish violet with silvery reflex Midseason	1.00	2.00
381-	-Souvenir de l'Exposition Universelle (Calot 1867). Clear cerise pink with silvery re- flex. Late midseason	-	2.00
382-	-Stanley (Crousse, 1879). Light violet rose with silvery reflex. Midseason	e <u></u>	3.00
	– Stanley (Kelway). See page 14 – Sea Foam (Peterson). Lilac white collar witl		
	cream white center. Midseason Suzanne Dessert (Dessert & Mechin, 1890)	1.00	2.00
	Clear rose pink. Midseason	. , 2.50	5.00
J)0	sert, 1896). Bluish violet with wine color reflex	r. . 1.50	3.00
394_		1 5.00	7.50

	2-yr. ea.	3-yr. ea.
395— Teniers (Crousse, 1880). Uniform, purple garnet. Late		\$2.00
396— Tokio (Japan). See page 14		
397—Tourangelle (Dessert, 1910). Flesh pink and salmon Late	7.50	10.00
398—Torpilleur. See page 14		
399Tecumseh (Terry). Dark crimson. Late	5.00	7.50
402— Triomphe de l'Exposition de Lille (Calot, 1865). Very pale pink splashed with a darker tint. Midseason		
darker tint. Midseason	1.00	2.00
403—Triomphe du Nord. Purplish pink. Midseason	1.00	2.00
405—Umbellata rosea. Violet rose collar with amber white center. Very early	1.00	2.00
407—Veloutine (Dessert, 1909). See page 14		
408—Victoire de l'Alma (Calot, 1860). Purplish scarlet. Late midseason	1.00	2.00
410—Venise (Dessert). See page 14		
411—Vesuve (Dessert). See page 14		
413—Virginie (Calot, 1858). Lilac rose with a lighter collar. Midseason	1.00	2.00
414—Virgo Maria (Calot, 1859). Pure ivory white. Late	1.50	3.00
416—Venus (Kelway). Very delicate pale pink with lighter collar. Midseason	2.50	5.00
421—Yeso (Japan). Pure white collar, center shaded yellow and rose. Midseason 424—Welcome Guest (Hollis, 1904). Bright rose	5.00	7.50
fading lighter. Midseason	3.00	5.00
pink. Midseason	7.50	10.00
lilac. Midseason	1.00	2.00
750—Officinalis rubra. Brilliant crimson. Early		
May	1.00	2.00
Single and Japanese Varieti		
	2-yr.	3-yr.
4 A1 1 (T) C:	ea.	ea.
4—Akalu (Japan). Crimson carmine	\$5.00	\$7.50
18Attraction (Hollis, 1906). Tyrian rose, center petals tipped yellow. Midseason. Japanese.	3.00	5.00
51—Camille (Dessert, 1909). Bright purple shaded violet	3.00	5.00
53—Carnot (Dessert, 1913). Brilliant garnet	5.00	7.50
64—Clairette (Dessert). Pure white	5.00	7.50
97—Deborah Sayres (Shaylor). Pink	5.00 1.50	7.50 2.50
Midseason. Japanese		
season	5.00	7.50
petals at center changing to white	5.00	7.50

2	-yr.	3-yr.
	ea.	ea.
201—Karafune (Japan). Very soft lavender with salmon thread-like petals. Early. Japanese.\$	1 00	**
	1.00	\$2.00
202Kumagoe (Japan). Deep carmine pink stri-	= 00	
	5.00	7.50
203—Kinokimo. Crimson carmine shaded garnet.	5.00	7.5 0
204—Kameno Kerogama. Crimson carmine, yellow		
stamens streaked carmine	5.00	7.50
205—La Fraicheur (Dessert). Light pink	2.00	3.00
205—La Fraicheur (Dessert). Light pink 220—L'Etincelante (Dessert). Bright purple car-		
mine. Midseason	2.00	3.00
226—Lucienne (Dessert, 1909). White shaded with		
purple fading to pure white. Midseason	5.00	7.50
229— Le Jour (Shaylor). White	5.00	7.50
230—L'Innocence (Shaylor). White	5.00	7.50
	3.00	7.50
274—Madeleine Gauthier (Dessert, 1909). Delicate silvery flesh pink. Midseason	5.00	7.50
	5.00	7.50
291—Marie Jacquin (Verdier). Rose white fading	1.00	2.00
to white. Midseason	1.00	
	5.00	7.5 0
305—Mikado (Japan). Lilac purple, center yellow-	-	
ish. Midseason. Japanese	5.00	7.50
307—Mrs. C. W. Ward. Dark pink	3.00	5.00
324—Nymphe (Dessert). Flesh pink	5.00	7.50
329—Othello (Dessert, 1910). Carmine purple.		
Midseason	5.00	7.50
337—Perle Rose (Dessert). Clear china pink with		
silvery border	5.00	7.50
338—Perle Blanche (Dessert). Pure white	5.00	7.50
348—Princesse Mathilde (Dessert, 1909). China		
pink with silvery border. Very early,	5.00	7.50
383—Stanley (Kelway). Dark crimson. Early		
midseason	1.00	2.00
	5.00	7.50
398—Torpilleur. Carmine purple collar	5.00	7.50
398—Torpineur. Carimine purple conar	3.00	7.50
407—Veloutine (Dessert, 1909). Tyrian purple	5.00	7.50
	5.00	7.50
410-Venise (Dessert). Brilliant pink tinetd car-	5.00	7.50
mine	5.00	7.50
411—Vesuve (Dessert). Dark red with metallic re-	5.00	7.50
flex		3.00
431-No Name. White. Early midseason	1.50	3.00
450—No Name. Purplish red. Midseason. Japa-	f 00	7 50
nese	5.00	7.5 0

Notes

Notes

